



COCONICS XTREME
CNBIC- HA73



Specification

PROCESSOR	<ul style="list-style-type: none"> Intel® Core™ i7-10510U processor (14nm, 1.8GHz, DDR4 2666MHz, 8MB Smart Cache, TDP: 15W)
DISPLAY	<ul style="list-style-type: none"> 14.0" (35.56cm) FHD (1920x1080) 16:9 panel, IPS Display
MEMORY	<ul style="list-style-type: none"> On Board DDR4 8GB & One 260 pins SODIMM sockets, support DDR4 2666MHz Expandable memory up to 16GB
STORAGE	<ul style="list-style-type: none"> 512GB M.2 SSD 2280
GRAPHICS	<ul style="list-style-type: none"> Intel® UHD Graphics 620
PORTS	<ul style="list-style-type: none"> 1 x USB 3.0 (USB3.1 Gen 1) port (Type A) 1 x USB 3.1 (USB3.1 Gen 2) port (Type A) 1 x DisplayPort 1.2 over USB 3.1 Gen 2 (Type C)(with Power Delivery DC in) 1 x HDMI™ 1 x 2-in-1 Audio jack 1 x DC-in jack MicroSD Card reader
CONNECTIVITY	<ul style="list-style-type: none"> Intel® Dual Band Wi-Fi 6 AX201 2x2 AX + BT CNVi M.2 2230 (Harrison Peak 2)
SECURITY	<ul style="list-style-type: none"> Security (Kensington® Type) Lock Slot Intel® PTT for system without Hardware TPM TPM 2.0 (Optional)
KEYBOARD & TOUCH PAD	<ul style="list-style-type: none"> White Backlit A4 size isolated illuminated keyboard Built in Click pad with Microsoft PTP multi-gesture and scrolling function
CAMERA	<ul style="list-style-type: none"> 1.0M HD video camera (or) Windows Hello Camera (Optional)
AUDIO	<ul style="list-style-type: none"> High Definition Audio Built in array microphone Built in two speakers
POWER SUPPLY	<ul style="list-style-type: none"> Full Range AC adapter, AC in 100~240V, 50~60Hz, DC output 19V 3.42A, 65W Embedded Polymer Smart Lithium-Ion battery pack, 73WH Battery life: 12 hours
OS SUPPORT	<ul style="list-style-type: none"> Windows® 10 RS6 (64-bit)
CERTIFICATE	<ul style="list-style-type: none"> Windows® 10 HDMI™

KEY FEATURES	• Shipping mode
	• Flexicharger
	• 180° Hinge design
	• Intel® Optane™ Technology (Optional)
DIMENSION	• 322(W) x 216.8(D) x 16.5(H)mm
WEIGHT	• 990g ~

Notes:

*Battery life may vary depending on applications and configuration.

*Weight tolerance is +/- 5%.

*The content is subject to change without notices.